

FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5

FIG. 6A





FIG. 6B



(64) PRECEDES BRANCH TO (65)
(65) AUXILIARY OPERATION







FIG. 7B





041-470-L






FIG. 1




FIG. 10




FIG. 11




FIG. 12

	47	43	39	35	31	27	23	19	15	11	7	3
0												
50	46	42	38	34	30	26	22	18	14	10	6	2
0												
49	45	41	37	33	29	25	21	17	13	9	5	1
0												
48	44	40	36	32	28	24	20	16	12	8	4	0

FULL VALUE OF
EACH FIELD CAN
BE ZERO OR ONE

NOTES:

1-EACH WORD HAS 48 BITS LABEL ZERO
THROUGH FORTY-SEVEN

2-THREE LEADING BITS I.E. 50, 49, AND 48
ARE CONTROL BITS, NOT USED FOR DATA

FIG. 13







FIG. 14



NOTES:

"Pn"-INDICATES A PROCESS


"Cn"-INDICATES A CALL OR RETURN

"Rn"-INDICATES A READ OR WRITE PROCESS

FIG. 15

CLEAR PATH NX

13



KERBEROS
SERVER

20





FIG. 16






FIG. 17




FIGURE 18